

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:APT-3-112

[Psychiatry of disasters. Organization of the work of a psychiatrist outpatient consultative reception](#)

Published On: October 21, 2019 | Pages: 012 - 022

Author(s): Shapovalova LA, Shapovalov K

Introduction: The predicted increase in anthropogenic, technogenic, social, military, possible space disasters and emergencies attracts the attention of health organizers, doctors of specialists and especially psychologists and psychiatrists in connection with the need to provide assistance to the victims, as well as to develop principles, strategies and tactics, meth ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/apt.000012](https://doi.org/10.17352/apt.000012)

[Open Access](#) [Research Article](#) PTZAID:APT-3-110

[Full awareness or mindfulness in the practice of current clinical psychology and psychiatry: Explanatory contributions](#)

Published On: February 28, 2019 | Pages: 003 - 010

Author(s): José M Bertolín-Guillén*

Introduction: In accordance with relevant historical sources and the objective of reducing the conceptual ambiguity surrounding full awareness or mindfulness, it should be emphasized that the aim of these concepts is better self-regulation and that the task of the observer is to remain equanimous between attraction and repulsion of what is being observed. Methods: A ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/apt.000010](https://doi.org/10.17352/apt.000010)

Review Article

[Open Access](#) [Review Article](#) PTZAID:APT-3-113

[Behavioral health in pediatric practice: The wheatfield pediatrics model](#)

Published On: December 25, 2019 | Pages: 023 - 026

Author(s): Keith Klostermann*, Theresa Mignone, Barbara Fronczak, Melissa Mahadeo and Emma Papagni

Approximately 20% of children and adolescents experience a diagnosable mental health disorder each year. According to the Centers for Disease Control and Prevention, the most commonly diagnosed mental health disorders in US children include ADHD, behavioral disorders, and mood disorders (e.g., anxiety, depression). ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/apt.000013](https://doi.org/10.17352/apt.000013)

Short Communication

[Open Access](#) | [Short Communication](#) | PTZAID:APT-3-111

[Marijuana: Indian scenario](#)

Published On: April 25, 2019 | Pages: 011 - 011

Author(s): Samarth Dandotiya*

Marijuana smoking culture in Indian youth has increased rapidly in the last decade and mostly the growth has been observed in urban population of the youth. It is strange because smoking marijuana a.k.a “ganja” once considered a practice done by poor and illiterate people or by sadhus and fakir, it is strange because the same youth which labeled marijuana as a drug ha ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/apt.000011](https://doi.org/10.17352/apt.000011)

Perspective

[Open Access](#) | [Perspective](#) | PTZAID:APT-3-109

[Suicide in Haiti](#)

Published On: January 31, 2019 | Pages: 001 - 002

Author(s): Felicia Douglas*

“Suicide is a complex global public health problem, yet few studies have examined local socio-cultural explanatory models and other contextual factors surrounding suicide in low-and-middle income countries (LMIC)” (Hagaman et al., 2013). Haiti is one of many LMIC’s where suicide has not been studied until now. Strong cultural beliefs and fear of

stigma has played a la ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/apt.000009](#)