

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:GJMCCR-1-113

[Relationship between BMI, PSA and Histopathological Tumor Grade in a Caucasian Population Affected by Prostate Cancer](#)

Published On: October 24, 2014 | Pages: 037 - 042

Author(s): Tirabassi G*, Gioia A, Manco R, Tenaglia R.L, Balercia G

The aim of this work is to show the relationship between obesity and aggressiveness of Prostate Cancer. We conducted a retrospective study of 132 men affected by Prostate Cancer underwent radical prostatectomy. Gleason score was abstracted by biopsy specimens and by post-operative specimens. We evaluated PSA level and Body Mass Index (BMI).

...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/2455-5282.000013](#)

Case Report

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-1-114

[Iron Deficiency Anemia in a Premenopausal Woman](#)

Published On: November 10, 2014 | Pages: 043 - 045

Author(s): Rehman HU*, Rocha Michaels C, Kamrul R

A 47-year-old woman presented to her family physician with complaints of persistent fatigue of three months duration. She had menorrhagia, irregular menses and mild dysmenorrhea but denied dyspnea, weight loss, fevers, night sweats, melena stool, overt rectal bleeding, hematuria, hematemesis and abdominal pain. She did not smoke and drank socially.

...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/2455-5282.000014](#)

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-1-112

[Angiokeratoma in Fabry Disease: Diagnostic but not Treatment Effectiveness](#)

[Marker](#)

Published On: October 15, 2014 | Pages: 035 - 036

Author(s): Jelena Roganovic*, Ingeborg Barisic, Nives Jonjic, Ksenija Fumic, Ana Dordevic

Introduction: Fabry disease (FD) is a rare metabolic disorder that leads to severe morbidity and premature mortality as a result of cardiac, renal or cerebrovascular complications. Enzyme replacement therapy (ERT) has been shown to provide clinically important benefits, and treatment is likely to alter the natural history of FD. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000012

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-1-111

[Vesical Calculi with Utero Cervico Vaginal Prolapse](#)

Published On: September 20, 2014 | Pages: 033 - 034

Author(s): S. Chhabra*, Shweta Raman

Vesical calculi are not commonly seen with utero vaginal prolapse. Calculi may be missed unless ultrasonography or X-ray is done. If not diagnosed problems can occur during surgery and post operatively. If vesical calculi are removed vaginally during anterior colporrhaphy, it may lead to fistula formation. Suprapubic cystotomy and removal of calculi done during vagina ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000011

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-1-110

[Primary Amenorrhea: A Müllerian Agensis Case Report](#)

Published On: September 13, 2014 | Pages: 030 - 032

Author(s): Blake R. Busey, Rebecca J. Caro* and Dana R. Nguyen

A case of müllerian agenesis, Mayer-Rokitansky-Küster-Hauser (MRKH) Syndrome, in a 16 year-old female with primary amenorrhea is reported. This patient exhibited normal female external physical characteristics with a shallow, blind vaginal pouch upon examination. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000010

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-1-109

[Saving Faces Changing Lives the Art of Maxillofacial Prosthodontics Case Series Comparing Two Different Materials](#)

Published On: September 12, 2014 | Pages: 027 - 029

Author(s): Bilal Ahmed*

Surgical reconstruction of large facial defects is not possible at times due to extensive loss of tissues that cannot be corrected by surgery alone. In these cases, prosthetic restoration of lost facial tissues can be done using maxillofacial prostheses. Introduction of new material which gives life-like appearance to such prosthetic restorations e.g. silicone and pol ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000009

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-1-108

[Chorea: Secondary to Non-Ketotic Hyperglycemia: A Case Report](#)

Published On: August 28, 2014 | Pages: 025 - 026

Author(s): Krishna Sundeep A*, Durga Hari Prasad D, Varun P, Lalith Kumar P, Ramakrishna Rao M

Chorea associated with non-ketotic hyperglycaemia is an uncommon dyskinetic syndrome in uncontrolled or undiagnosed diabetes. Various theories are postulated but the underlying mechanism remains poorly understood. We report a 70-year-old man suffering from sudden choreodystonic movements and undiagnosed hyperglycemia. It always marks the importance of screening for di ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000008