

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:GJMCCR-2-120

[Clinico-Radiological Correlation in 7 Cases of Airway Compression by Vascular Anomalies on MDCT](#)

Published On: November 20, 2015 | Pages: 017 - 022

Author(s): Anurag Yadav*, TBS Buxi, Supraja Reddy, Samarjit Singh Ghuman, Kishan Singh Rawat, Savitha Srirama Jayamma
Compression of the airway by vascular anomalies is a co-morbidity occurring frequently in children with congenital heart diseases. Here we presented a cohort of 7 patients with respiratory distress who showed airway compression due to vascular anomalies on evaluated with multidetector computed tomography. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000020

[Open Access](#) [Research Article](#) PTZAID:GJMCCR-2-116

[Gender Inequalities in Everyday Life](#)

Published On: July 24, 2015 | Pages: 003 - 007

Author(s): Chhabra S*

Background: Gender inequalities continue in all walks of life for all women, urban rural. Objective: was to know gender differences in everyday life of women. Material methods: Thousand non-pregnant and thousand, pregnant women were interviewed. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000016

Case Report

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-2-121

[Hepatotoxicity after Sevoflurane Exposure in a Patient with Chronic Hepatitis C](#)

Published On: December 17, 2015 | Pages: 023 - 027

Author(s): Nickul N Shah*, Nina Ballone, Raul Zamora, Peter DeVito, Samuel Wilson

Sevoflurane is considered a safe inhaled anesthetic of choice in patients with liver disease. Compared to other halogenated inhaled anesthetics, Sevoflurane is reported to lessen the severity of decreased hepatic blood flow and undergoes a different mechanism of hepatic metabolism. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000021

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-2-119

[**Middle Aortic Syndrome: A Case Report and Review of the Literature**](#)

Published On: October 16, 2015 | Pages: 013 - 016

Author(s): Chatzistamatyoy EI*, Moustakas GN, Avgeropoulou C, Androulakis A, Tousoulis D, Kallikazaros IE

Coarctation of the aorta is a relatively common defect that accounts for 5-8% of all congenital heart defects and is characterized by discrete medial thickening with superimposed neointimal tissue, leading to aortic lumen narrowing of different degrees. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000019

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-2-118

[**Isolated Fallopian Tube Torsion after Eating Origan and Fennel during Pregnancy**](#)

Published On: September 12, 2015 | Pages: 010 - 012

Author(s): Farahnaz Sadat Ahmadi*, Fariba Yarandi, Shamin Alaghi, Azizeh Ghaseminejad, Soleiman Abbasi

Background: Isolated fallopian tube torsion is very rare during pregnancy .The reporter's show that the right fallopian tube torsion is most common. Most of the cases have presented in the third trimester. The diagnosis of this torsion is very difficult. There are not pathognomonic symptoms; clinical, imaging, or laboratory findings. The diagnosis is proved during the ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000018

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-2-117

[Tuberculous Abscess of the Anterior Abdominal Wall: An Unusual Site of Presentation](#)

Published On: August 14, 2015 | Pages: 008 - 009

Author(s): Awad Ali M Alawad*, Mohamed D Gismalla

The skeletal muscles are rarely affected by tuberculosis because they are not a favorable site for the survival and multiplication of Mycobacterium tuberculosis. A case of tuberculous abscess in rectus abdominis muscle is described in a 20- year- old female in an apparently healthy individual without any past history of tuberculosis. ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/2455-5282.000017](#)

Commentary

[Open Access](#) [Commentary](#) PTZAID:GJMCCR-2-115

[Re-Assessing Red Blood Cell Storage](#)

Published On: March 18, 2015 | Pages: 001 - 002

Author(s): Linda M. Shecterle*, Kathleen R. Terry JD, J. A. St. Cyr

Numerous reports have surfaced over the past decade centering on the potential for complications when transfusing "new" versus "old" stored red blood cells (RBCs). The transfusion of whole blood and packed RBCs has been a standard medical treatment since Landsteiner in 1900 developed red cell ABO typing, leading to compatible transfusions from donor to recipient. ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/2455-5282.000015](#)