

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:GJMCCR-4-135

[Salivary Mucoceles in Children and Adolescents: A Clinicopathological Study](#)

Published On: February 15, 2017 | Pages: 011 - 014

Author(s): A Pouloupoulos*, D Andreadis, E Parcharidis, I Grivea, G Syrogiannopoulos and A Kolokotronis

Background: Mucoceles are cavities filled with mucous and often occur in the oral mucosa. When they develop in children may cause diagnostic and management concerns. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000035

Case Report

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-4-137

[Simultaneous Traumatic Avulsion of Flexor Digitorum Superficialis and Flexor Digitorum Profundus Tendons in Left Little Finger](#)

Published On: March 02, 2017 | Pages: 018 - 019

Author(s): Mohamed Maklad*, Emily West and Sherif Wilson

Avulsion injuries of the flexor digitorum profundus (FDP) tendon are common and widely reported [1-3]. Closed traumatic avulsion of the flexor digitorum superficialis (FDS) tendon is, however, rare, with few reported series of isolated FDS ruptures [3-6]. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000037

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-4-136

[An Unusual Case of Melioidosis with Psoas Abscess](#)

Published On: February 22, 2017 | Pages: 015 - 017

Author(s): Prijesh Janardanan*, PC Easaw and Abdul Rahiman

Melioidosis is an infection caused by a gram negative bacterium .We report a case of FUO which upon investigation revealed muscle abscess and subsequent pus culture revealed melioidosis. This case is reported since melioidosis can often mimic other diseases and in rare instances present with psoas abscess. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000036

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-134

[**Medical Miracle in Indianola, Mississippi: The Untold Story of Dr. Clinton Battle and the Indianola Conjoined / Matthews Siamese Twins**](#)

Published On: February 10, 2017 | Pages: 008 - 010

Author(s): L Ray Matthews*, Omar Danner, Zellie Orr, Jonathan Nguyen, Keren Bashan-Gilzenrat, Diane Dennis- Griggs, Yusuf Ahmed, Kenneth Wilson and Ed Childs

Conjoined twins are very rare. The overall survival rate has been estimated to be approximately 25% to 50%. We report a case of conjoined twins delivered in Indianola, Mississippi in 1955 who made medical history. The Matthews' conjoined twins were the first in history to be separated and both survive. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000034

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-133

[**Myxoid Leiomyosarcoma of the Uterus in a Fertile Woman**](#)

Published On: February 07, 2017 | Pages: 004 - 007

Author(s): Vito Leanza, Alfio D'Agati, Gianluca Leanza, Carlo Pafumi*, Mayada Chammas and Antonio Carbonaro

A 37 year old woman (G1P1 spontaneous delivery) was admitted to our university hospital for menometrorrhagia. The case history showed the patient had menometrorrhagia for six months; moreover, during the abdominal examination we found a mass occupying the hypogastric and mesogastric area. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000033

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-132

[**Antipsychotics, Hypothermia, Undressing, and Death**](#)

Published On: January 23, 2017 | Pages: 001 - 003

Author(s): Mary V Seeman*

One of the lesser-known adverse effects of antipsychotic medication is hypothermia, a significant and protracted plunge in body temperature. Known risk factors are older age and exposure to a new for-the-person antipsychotic drug. ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/2455-5282.000032](#)