

In this issue

Case Report

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-4-153

[Cutaneous phaeohyphomycosis of foot web by *Curvularia lunata*](#)

Published On: August 04, 2017 | Pages: 074 - 075

Author(s): Mohammed Rasheeduddin* and Visalakshi P

A case of cutaneous phaeohyphomycosis of the foot affecting interdigital spaces between toes in a 31 year old immunocompetent male with no history of diabetes is illustrated. Fungal elements were found in direct microscopic examination of skin scrapping. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000053

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-4-152

[Splenic Tuberculosis - A Rare Case Report](#)

Published On: June 24, 2017 | Pages: 072 - 073

Author(s): Mona Ahmed Amin Soliman*

Splenic tuberculosis (splenic TB) is extremely rare. It is likely to be misdiagnosed as carcinoma of spleen, splenic abscess, lymphoma, or others. The misdiagnosis rate is high if there is no tuberculosis history in other organs. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000052

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-4-151

[Ortner's Syndrome: A cause of unilateral vocal cord paralysis](#)

Published On: June 23, 2017 | Pages: 069 - 071

Author(s): Vanitha Palanisamy*, Kevin Suresh Doshi, Tengku Ezulia Tengku Nun Ahmad, Mohd Zulkifl ee Abu Bakar and Raman Rajagopalan

Ortner's syndrome is rare syndrome characterised by hoarseness of voice due to recurrent laryngeal nerve involvement in cardiovascular disease. This report presents a case of left laryngeal paralysis caused by an aortic arch aneurysm and

to highlight the importance of an otorhinolaryngology evaluation along with a thoracic radiologic study. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000051

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-150

[Anal Eroticism with plastic bottle ways of management: A Case Report](#)

Published On: June 23, 2017 | Pages: 065 - 068

Author(s): Mathi M, Arun A, Nelson R, Andre Das and Umaparan G*

Foreign bodies in the rectum often pose a challenging diagnostic and management dilemma that begins with the initial evaluation in the emergency department and continues through the post extraction period. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000050

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-149

[SUT Stroke Specific Genogram: Application of Genogram on Screening for Individual at Risks of Stroke in Rural Thai Community](#)

Published On: June 21, 2017 | Pages: 058 - 064

Author(s): Naruemol Singha-Dong* and April Bigelow

Background: Non-communicable diseases including cardiovascular disease, hypertension, hyperlipidemia, and stroke are on the rise throughout the world. Further, there is a large proportion of individuals that have hyperlipidemia and hypertension that is not diagnosed, treated or controlled in low and middle income countries (LMICs). ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000049

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-148

[Atypical Imaging Appearances of First Branchial Cleft Anomalies: Two Pathologically Proven First Branchial Cleft Anomalies Containing Fat on Imaging](#)

Published On: June 20, 2017 | Pages: 055 - 057

Author(s): Akash Meesa, Priyanka Meesa, Indu Rekha Meesa* and Suresh K Mukherji

Branchial anomalies (BA) are developmental lesions that are believed to be either vestigial remnants resulting from incomplete obliteration of the branchial apparatus or the result of buried epithelial cell rests. They are classified as either first, second, third, or fourth according to their proposed pouch or cleft of origin and are relatively common findings. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000048

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-4-147

[Lower Member Amputation in Patient with Total Hip or Knee Arthroplasty](#)

Published On: June 20, 2017 | Pages: 053 - 054

Author(s): J Passini Sánchez*, FJ Pérez Lara, R Marín Moya and H Oliva Muñoz

In recent years the incidence of both amputations as total joint replacement surgery of lower limbs has been increased. So it is not rare to find both circumstances in the same patient. We discuss about the technical problem of this eventuality. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000047