

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:GJMCCR-9-260

[Oral health status and treatment needs of soft drink factory workers of Bareilly City: A cross-sectional study](#)

Published On: September 21, 2022 | Pages: 053 - 056

Author(s): Nandita Gautam*, Ankita Chandak, Isha Saxena, Shaurya Upadhyay and Vaitarni Garg

Background: General health is closely related to oral health. Communication is made simpler and a person's dignity and individuality are enhanced by optimum dental health. The working conditions of soft drink industry employees affected their oral health. Objective: To determine the level of oral condition and treatment requirements for soft drink employees in Barei ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/2455-5282.000160](#)

[Open Access](#) [Research Article](#) PTZAID:GJMCCR-9-255

[Evaluation of the effect of total saponins and tannins isolated from Dialium guineense stem bark on CCl₄ - Induced hepatotoxicity in wistar rats](#)

Published On: July 22, 2022 | Pages: 035 - 038

Author(s): Abu OD*, Orobator ON and Momodu IB

The aim of the present study was to evaluate the hepatoprotective effect of total saponins and tannins of Dialium guineense stem bark in Wistar rats exposed to carbon tetrachloride (CCl₄). Adult male Wistar rats (n = 25) weighing 160 – 180 g (mean weight = 170 ± 10 g) were randomly assigned to five groups (5 rats per group): normal control, CCl₄ control, silymarin, to ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/2455-5282.000155](#)

Case Report

[Open Access](#) [Case Report](#) PTZAID:GJMCCR-9-259

[Bipolar injury of the clavicle: A case report](#)

Published On: September 02, 2022 | Pages: 049 - 052

Author(s): Arcangelo Morizio*, Andrea Leone and Claudio Maria Mori

Introduction: Bipolar dislocation of the clavicle is an uncommon injury that is a simultaneous dislocation of the ipsilateral acromioclavicular joint and sternoclavicular joint. This injury is rare with fewer than fifty documented cases. Case report: We have reported the case of a forty-three-year-old bike trauma with posterior dislocation of the acromioclavicular jo ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000159

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-9-258

[Strangulated internal hernia underneath right external iliac artery: A case report](#)

Published On: August 17, 2022 | Pages: 046 - 048

Author(s): Abdelilah Elbakouri*, A Lamnaouer, M Bouali, K Elhattabi, F Bensardi and A Fadil

Small bowel obstruction following internal herniation under the external iliac artery after total hysterectomy with pelvic lymph node dissection is a rare entity. We describe a case of strangulated internal hernia between the right external iliac artery and the psoas muscle as a late complication after 3 years of radical hysterectomy with pelvic lymphadenectomy.

Retro ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000158

[Open Access](#) | [Case Report](#) | PTZAID:GJMCCR-9-257

[A teenager with life-threatening abdominal pain](#)

Published On: August 17, 2022 | Pages: 044 - 045

Author(s): Giorgia Carlone*, Valerio Caracino, Iole Mancini, Alessandra Scaparrota, Daniela Trotta and Maurizio Arico

A previously healthy 17-year-old boy was admitted to our emergency department for fever, pharyngitis with cervical lymphadenopathy, abdominal pain, and vomiting for three days. On admission, he was afebrile and his vital signs were normal. Yet, following another vomiting episode, he developed another bout of abdominal pain. C-reactive protein was normal, haemoglobin 1 ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-5282.000157

Peritoneal hydatidosis: An exceptional case report

Published On: August 16, 2022 | Pages: 039 - 043

Author(s): Abdelillah El Bakouri*, A Fatine, M Bouali, K El Hattabi, FZ Bensardi and A Fadil

Hydatidosis is a cosmopolitan parasitic disease that presents a real public health problem, especially in endemic countries of which Morocco is part. The objective of the present work is to analyze the clinical, paraclinical, therapeutic, evolutionary, and prognostic aspects of disseminated peritoneal hydatidosis with multiple localization. Peritoneal hydatidosis rep ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/2455-5282.000156](#)