

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:IJOCS-2-116

[Root Canal Disinfection Potential of 5.25% Sodium Hypochlorite, 2% Chlorhexidine and 810nm Diode Laser-A Comparative In vitro Antimicrobial Study](#)

Published On: May 13, 2016 | Pages: 035 - 038

Author(s): Amit Arvind Agrawal*, Swapnil Kolhe, Amit Sope, Dinesh Erlewad

Introduction The major cause of endodontic failure is the survival of microorganisms in the apical portion of root filled teeth, of which, E.faecalis is considered one of the primary organisms in patients with post treatment endodontic infection [1]. Enterococci were first placed under genus streptococcus, however studies demonstrated a more distant relationship wi ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000016

[Open Access](#) [Research Article](#) PTZAID:IJOCS-2-115

[Opportunistic Bacteria in Tonsil and Dental Plaque are Indicator for Oral Care](#)

Published On: May 04, 2016 | Pages: 030 - 034

Author(s): Nobuhiro Hanada*, Chiyoko Hakuta, Ayako Okada, Kaoru Sogabe, Erika Kakuta, Keiko Endo, Susumu Imai, Masaaki Okamoto, Yoshiaki Nomura

Introduction Opportunistic pathogens have been known to be detected form saliva, dental plaque, and tonsil [1-3]. These pathogens of itself are not pathogenic for the healthy subjects, however, these pathogens cause serious status for the immunocompromised patients or elderly subjects. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000015

[Open Access](#) [Research Article](#) PTZAID:IJOCS-2-113

[Raman Spectroscopic Analysis of Blood, Urine, Saliva and Tissue of Oral Potentially Malignant Disorders and Malignancy-A Diagnostic Study](#)

Published On: March 09, 2016 | Pages: 011 - 014

Author(s): PK Meenapriya*, S Jaychandran, S Ganesan

Introduction Oral cancer is ranked as the sixth most common cancers in the world [1]. Oral potentially malignant disorders (OPMDs) which are clinically evident precede most of the oral squamous cell carcinomas [2]. Most cancers of the oral cavity are oral squamous cell carcinomas (OSCC), and tobacco, alcohol and betel use are the main risk factors for these and man ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000013

[Open Access](#) [Research Article](#) PTZAID:IJOCS-2-112

[**Mass Dimension Evaluation of the Optic Nerve Head Microvascularity in Non-Glaucomatous Optic Neuropathies**](#)

Published On: March 07, 2016 | Pages: 006 - 010

Author(s): Giorgio Bianciardi*, Maria Eugenia Latronico, Claudio Traversi

Introduction Fractal analysis is a very useful tool in the understanding of many phenomena in various fields, such as astrophysics, economics, biology and medicine. Interesting results have also been achieved in bacteriology, medical imaging and ophthalmology (e.g. diabetic retinopathy) [1-6]. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000012

Review Article

[Open Access](#) [Review Article](#) PTZAID:IJOCS-2-114

[**Growth and Transcription Factors in Tooth Development**](#)

Published On: April 29, 2016 | Pages: 015 - 029

Author(s): Laura de Sousa-Romero*, Ana María Moreno-Fernández

Introduction The embryonic process of odontogenesis is originated by two main embryonic tissues which are ectoderm and the underlying ectomesenchyme. The interaction between both two components leads tooth development throughout different phases known as initial stage, bud stage, cap stage, bell stage, appositional stage and root development [1]. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000014

Case Report

Open Access Case Report PTZAID:IJOCS-2-110

[Acquired Immunodeficiency Syndrome Revealed by Oral Kaposi's Sarcoma](#)

Published On: February 10, 2016 | Pages: 001 - 002

Author(s): Hanane Atarguine*, Soundous Benmoussa, Fayçal Abbad, Ouafa Hocar, Fatima Ihibbane, Hanane Rais, Noura Tassi, Nadia Akhdari, Said Amal

Introduction Kaposi's Sarcoma (KS), being first described in 1872 [1], is an unusual vascular neoplasm that most likely arises from endothelial cells, with some evidence of lymphatic origin. Different clinical and epidemiological variants have been identified. Lesions of KS typically manifests as bluish-purple macules and plaques on the skin, particularly of the fa

...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000010

Mini Review

Open Access Mini Review PTZAID:IJOCS-2-111

[Mitotic Catastrophe – Role in Programming of Cell Death](#)

Published On: February 25, 2016 | Pages: 003 - 005

Author(s): Prasanna Nichat¹, Neha Mishra², Richa Bansal³ and Harshaminder Kaur^{4*}

Introduction The incidence of cancer worldwide is on a rise, accounting it to be the second most common disease, first being the coronary heart disease [1]. The losses of cellular regulation that gives rise to most or all cases of cancer are due to genetic damage. Mutations, in two broad classes of genes – proto-oncogenes (eg, ras) and tumor suppressor genes (eg, A ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/2455-4634.000011