

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:OJT-1-115

[Risk factors relating the surgical outcomes of lower leg traumatic compartment syndrome in Vietnam](#)

Published On: December 04, 2017 | Pages: 072 - 074

Author(s): Trung DT*, Dinh HN, Trung TN, Duc BN, Ngoc MH

Risk factors relating the surgical outcomes of lower leg traumatic compartment syndrome in Vietnam. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/ojt.000015

[Open Access](#) [Research Article](#) PTZAID:OJT-1-113

[The Surgical Outcomes of Diaphyseal Fractures of Radius and Ulna treated by Plate and Screws Fixation in Vietnam](#)

Published On: November 09, 2017 | Pages: 066 - 068

Author(s): Dung Tran Trung*, Khanh Trinh Le, Tuyen Nguyen Trung, Binh Nguyen Duc, Lam Tran Quoc, Manh Nguyen Huu, Phuong Nguyen Huy, Nam Vu Tu, Hieu Pham Trung

Objectives: 1) Study the clinical and radiographic characteristics of both bones forearm fractures in adults. 2) Evaluate the surgical outcomes of plate and screws fixation for these fractures. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/ojt.000013

Review Article

[Open Access](#) [Review Article](#) PTZAID:OJT-1-111

[WAD – Criteria for Evaluation of Causality](#)

Published On: June 14, 2017 | Pages: 054 - 063

Author(s): Olle Bunketorp*

Whiplash Associated Disorders (WAD) have caused frustrating problems since decades for people injured in various types of accidents. Certain circumstances and misunderstandings explain this anomaly. ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/ojt.000011](#)

Case Report

[Open Access](#) | [Case Report](#) | PTZAID:OJT-1-114

[Methamphetamine abuse: The link between Immunosuppression, Fournier's gangrene and Candida](#)

Published On: November 29, 2017 | Pages: 069 - 071

Author(s): Workman A*, Rajesh G

Fournier's gangrene is a rapidly progressive and potentially fatal infective necrotizing fasciitis of the perineum, external genitalia and/or perianal regions. The most common etiology of the infection is bacterial; however, there have been published cases of Fournier's gangrene caused by yeast in patients with severe immunosuppression. Cutaneous fungal infections are ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/ojt.000014](#)

[Open Access](#) | [Case Report](#) | PTZAID:OJT-1-112

[Morel-Lavallée Lesion: A not so rare, but often missed diagnosis](#)

Published On: August 02, 2017 | Pages: 064 - 065

Author(s): KTM Opedam, R van de Coevering and I van der Haven*

The Morel-Lavallée lesion is a closed, post-traumatic, soft tissue degloving injury. There is separation of the skin and subcutaneous tissue from the underlying fascia resulting in an effusion and creation of a perifascial space often containing lymph and necrotic fat. ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/ojt.000012](#)