

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:IJVSR-4-132

## [Mesenchymal stem cells from the domestic ungulates: trends and outliers](#)

Published On: December 21, 2018 | Pages: 023 - 031

Author(s): Anna A Tvorogova, Anastasia V Kovaleva and Aleena A Saidova\*

Mesenchymal stem cells (MSCs) are a valuable source for regenerative therapy and tissue engineering. MSCs are multipotent adherent stem cells that can be isolated from different adult and fetal tissues. In contrast to human MSCs, MSCs from large animal models have not yet been described by the uniform criteria, which include the characteristic phenotype of surface mol ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/ijvsr.000032

[Open Access](#) [Research Article](#) PTZAID:IJVSR-4-130

## [Research progress of gene editing technology CRISPR/Cas9 system in animal gene editing](#)

Published On: July 23, 2018 | Pages: 015 - 019

Author(s): Feng Fan, Kang Mengna, Zhu Xiaolan, Cao Weiping, Liu Yueqin, Chen Qi, Lin Fangfang, Qianfu Yanwen and Xu Wenlina\*

Gene editing technology, from the beginning of RNA interference (RNAi) technology to efficient developed enzyme technology, has been widely used in recent years. These efficient enzyme technologies include zinc finger nuclease (ZFN) technology, transcriptional activation-like effector nuclease (TALENs) technology, and clustered regularly interspaced short palindromic ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/ijvsr.000030

[Open Access](#) [Research Article](#) PTZAID:IJVSR-4-129

## [Structural characteristics of the control region of the \*Beaufortia kweichowensis\* mitochondrial genome](#)

Published On: July 13, 2018 | Pages: 012 - 014

Author(s): Gang Wang, Gui-Hong Chen, Yu Luo and Zheng-Yong Wen\*

In present study, we identified the structural characteristics of the *Beaufortia kweichowensis* mtDNA control region using the next-generation sequencing method. Result showed that the control region could be further divided into three parts, including the extended termination associated sequence domain (ETAS), the central conserved domains (CSB-F, CSB-E, CSB-D) and th ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/ijvsr.000029

[Open Access](#) | [Research Article](#) | PTZAID:IJVSr-4-127

## [Factors affecting Somatic Cell Count in milk of dairy cows in Costa Rica](#)

Published On: January 04, 2018 | Pages: 001 - 008

Author(s): Kline KE, Joyce F

Somatic cells, such as bacteria fighting leukocytes, are present in cow's milk as an immune response to combat intramammary infection. The primary objective of this study was to determine the effect of various factors on the somatic cell count, or SCC, within the milk of dairy cows. Factors studied in comparison to the SCC include the number of bacteria within the ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/ijvsr.000027

### Short Communication

[Open Access](#) | [Short Communication](#) | PTZAID:IJVSr-4-128

## [Effects of phytogetic products on gut morpho-histology of broiler chickens](#)

Published On: February 27, 2018 | Pages: 009 - 011

Author(s): Megaache Mounia\*, Alloui Nadir and Bennoune Omar

The objective of this experimental survey is to distinguish the effect of phytogetic products (Volarom®) as an alternative to antibiotic growth promoters (AGP) on the gut morpho-histology of broilers chickens, reared under optimal environmental conditions. Undred 1-day- Cobb strain chick males were divided into 2 groups (control and experimental).

The broiler chickens ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/ijvsr.000028](#)

## Mini Review

[Open Access](#) [Mini Review](#) PTZAID:IJVS4-131

### [Staphylococcus aureus: A brief review](#)

Published On: November 28, 2018 | Pages: 020 - 022

Author(s): Maliha Gulzar and Asima Zehra\*

Staphylococcus aureus, also known as “golden staph”, is a gram-positive coccus belonging to the class Bacilli, order Bacillales, family Staphylococcaceae and genus Staphylococcus [1]. It is a facultative anaerobe often positive for catalase and nitrate reduction and is coagulase variable i.e. maybe cogulase positive or negative [2]. The bacterium is non-motile, non-sp ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/ijvsr.000031](#)